Ref	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	("6697190").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/03 05:47
L2	10	(("6804464") or ("6823219") or ("20020171884") or ("20020163690") or ("20040100685")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/03 05:57
L3	473	(398/106,107).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/03 05:52
L4	509	(700/19,20).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/03 05:53
L5	244	(700/59,65).CCLS.	US-PGPUB; -USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/03 05:53
L6	1187	3 or 4 or 5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 05:53
L7	797	6 and @ad < "20010925"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 06:23
L8	285	7 and command and (response or acknowledgement)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 06:23
<b>L9</b> .	115	8 and optical	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2005/10/03 05:55
L10	20	9 and ignore\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 05:56

	<del></del>		<del></del>			
L11	2	("6823219").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/03 05:57
L12	0	11 and ignore	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 06:20
L13	2	("5671375").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/03 06:20
L14	2	13 and ignore	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 06:20
L15	, 5	(US-6385495-\$ or US-5850304-\$ or US-5659299-\$ or US-5657005-\$ or US-5671375-\$).did.	USPAT	OR	ON	2005/10/03 06:21
L16	2	15 and (id or identifier or database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 06:22
L17	4739	"398"/\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 06:23
L18	441	17 and command and (response or acknowledgement)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 06:23
L19	33	18 and (command near2 (id or identifier or code))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 06:23
L20	16	19 and @ad < "20010925"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 06:26

			. —			
L21	1	20 and database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 06:24
L22	8	20 and optical	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 06:39
L23	. 2	("20030128410").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/03 06:39
L24	6	(US-6385495-\$ or US-5850304-\$ or US-5659299-\$ or US-5657005-\$ or US-5671375-\$ or US-6804469-\$). did.	USPAT	OR	ON	2005/10/03 06:56
L25	6	24 and set	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 07:11
L26	3	("6804469").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/03 07:16
L27	1	26 and address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 07:15
L28	0	26 and (embodiment adj "2")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 07:15
L29	0	26 and embodiment	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 07:15